























编号	图片	内径	拨叉	工作高	总高
50RCT3322F0		33		22	30
50RCT3304		33		24	32
48RCT3301		33	50	22	27
54CT3338F2		33	47	38	56
50RCT3322FOA		33	22	74	30
NT3369F0		33	89	69	77
50CT3323F0		33	42	23	29
54TKB3401		34	43	37	47
986911		35	48	45	60
523L-0040A7		35	53	43	62
50RCT3534F0		35			
62RCT3555F2		35	48	55	67













编号	图片	内径	拨叉	工作高	总高
60RCT3543F0 1603543-00-01		35	47	43	52
R-1603565-00-00		35	48	65	76
R-1603565-00-00		35	48	65	76
60RCT3533F2		35	53	31	46
62RCT3533F0		35	47	33	45
523L-0040A8		35	48	30	47
60RCT3525F0		35	52	25	49
58RCT3527F0		35	44	27	38
523L-0040A9		35	53	35	51
523L-0040A13		35	48	38	54
1602410A1K9-C00		35	60	38	48
523L-0040A3		35	53	39	56

编号	图片	内径	拨叉	工作高	总高
523L-0040A2		35	48	30	46
62RNT3537F2		35	48	37	48
54TKA3501		35	48	33	49
523L- 0040A19		35	53	42	57
L0161060101A0 与3536F2一样		35	54	36	53
523L- 0040A21		35	53	33	47
62RCT3537F3		35	48	35	50
62CT3541F2		35	49	41	54
62CT3536F2		35	54	36	52
54RCT3538F2		35	48	40	58
24470005		35	48	35	48
54RCT3421FO -A		35	44	21	35

编号	图片	内径	拨叉	工作高	总高
62RCT3530F2		35	48	31	47
62RCT3503		35	47	37	47
523L-0040A18		35	53	37	52
986911K3A1		35	48	34	50
54RCT3538F2		35	44	37	47
986809K2		35	47	37	49
986911KAI		35	47	34	50
60RCT3525F0		35	52	25	48
54RCT3521		35	48	37	52
44CL3642F0		36		42	61
54NT3626F2		36	44	24	37
55CT3741F2		37	49	42	54

编号	图片	内径	拨叉	工作高	总高
55CT3741F0		37	50	43	52
58RT3731F0		37	56	31	49
62RCT3742F3		37	49	42	51
9688211		37	55	42	49
986809K		37	43	29	42
6V40L-0040A2		38	55	37	52
6V40L-0040A1		38	55	37	52
68SCRN62P		38.5	48	51	61
986911K/4034		39	52	33	51
62NT4435F2		44	54	35	51
62RCT4464F2		44	54	64	79
62CT4433F2		44	52	33	48

编号	图片	内径	拨叉	工作高	总高
62CT4437F2		44	52	37	53
6V40L-0040		44	55	37	53
J-1604440-00-0		44	52	39	55
68CT4456F2		44	55	56	67
68CT4438F2		44	55	38	56
530L-0040A2		44	53	30	45
MW520GEO-1703016X		44	52	30	45
MW520ZC-1703016X		44	53	39	53
MW529ASL6-1703016X		44	53	37	52
62RCT4444F2		44	53	44	59
16Q07-02050A2		44	53	38	54
986911K/44方座		44	86	51	55













编号	图片	内径	拨叉	工作高	总高
62NT4435F2B		44	52	30	45
62CT4438F2		44	52	33	48
523L- 0040A11		44	53	40	55
54NT4441F2		44	52	41	56
62RCT4443F2		44	60	43	57
530L- 0040A1		44	53	30	45
16Q07 - 02050高54		44	53	35	54
530L- 0040A2		44	53	35	50
986911K/4432		44	52	33	45
62CT4445F2		44	86	50	62
68CT4440F2		44	53	42	56
68CT4438F2		44	55	40	56





编号	图片	内径	拨叉	工作高	总高
16Q07-02050B1/9 86911K		44	53	37	52
68CT4440F2		44	54	41	57
68CT4445F2		44	86	46	62
62CT4438F2		44	52	37	52
986911KA3		44	53	37	52
688911		44	53	41	53
986911K3		44	53	39	54
986911K2		44	53	38	54
986911K		44	52	40	52
62NT4435F2		44	54	35	51
986911KA3		44	53	37	52
986911K/4434		44	53	35	52

编号	图片	内径	拨叉	工作高	总高
6V40L-0040A3	 6V40L-0040A3 内径48拨叉60工作高37总高54	45	60	37	54
55CL4554FO	 55CL4554FO 内径45总高70	45		54	70
1602410-8K9	 1602410-8K9 内径45拨叉59工作高74	45	59	74	85
1602410-1AK5	 1602410-1AK5 ZY 襄府轴承 总代理 总高45	45	60	45	56
9688211/54	 9688211/54 内径47拨叉86工作高47	47	86	47	56
646L-0040A34	 646L-0040A34 内径47拨叉86工作高64	47	86	64	74
646L-0040A22	 646L-0040A22 内径47拨叉86工作高36	47	86	36	49
523L-0040A20	 523L-0040A20 内径47拨叉86工作高43	47	86	43	58
505202109	 505202109 内径47拨叉86工作高57总高72	47	86	57	72
16RN3 - 02050B	 16RN3 - 02050B 内径47拨叉85工作高50总高61	47	85	50	61
653L-0020A5	 653L - 0020A5 内径47拨叉86工作高62	47	86	62	76
360111/142	 360111/142 ZY 襄府轴承 总代理 总高47	47	85	47	60

编号	图片	内径	拨叉	工作高	总高
M-1604854-30-00		47	64	54	63
76CT4843FO		48	64	43	52
78CT4855F3		48	85	55	70
CT4850F2		48	86	50	67
81NT4847F2		48	86	50	65
16C21-02050A2		48	86	64	
81TKL4801		48	59	45	58
78TKL4801		48	59	32	53
81CT4878F2		48	86	78	95
81CT4868F2		48	86	68	85
81CT4858F2		48	86	58	74
CT4854FO		48	86	54	71

编号	图片	内径	拨叉	工作高	总高
653L-0020A4	 653L-0020A4 36011170 内径48拨叉64总高70	48	86	55	70
81CT4862F2	 81CT4862F2 内径48拨叉64总高78	48	64	64	78
78CT4847F2B	 78CT4847F2B 内径48拨叉64总高68	48	86	47	68
81CT4849F2	 81CT4849F2 内径48拨叉64总高59	48	64	49	59
WG2203260339 CT4852F3	 WG2203260339 CT4852F3 内径48拨叉75总高71	48	75	52	71
523L-0040A16	 523L-0040A16 内径48拨叉86总高82	48	86	69	82
CT4875F2	 CT4875F2 内径48拨叉86总高92	48	86	75	92
505202112	 505202112 内径48拨叉75总高54 总高71	48	75	54	71
996712	 996712 内径48拨叉86总高50 总高66	48	86	50	66
523L-0040A15	 523L-0040A15 内径48拨叉86总高71 总高85	48	86	71	85
76CT4847F2	 76CT4847F2 内径48拨叉60总高47 总高58	48	60	47	58
78CT4858F2	 78CT4858F2 内径48拨叉75总高58 总高78	48	75	58	78













编号	图片	内径	拨叉	工作高	总高
JS85T- 1601031-1	 JS85T-1601031-1 内径48拨叉86工高50 总高65	48	86	50	65
646L - 0040A17	 646L-0040A17 内径48拨叉86工高59 总高74	48	86	59	74
646L- 0040A18	 646L-0040A18 内径48拨叉86工高45 总高60	48	86	45	60
646L - 0040A26	 646L-0040A26 内径48拨叉86工高36 总高50	48	86	36	50
646L- 0040A24	 646L-0040A24 内径47拨叉86工高68 总高84	48	86	68	84
523L- 0040A22	 523L-0040A22 内径48拨叉86工高47 总高62	48	86	47	62
523L- 0040A28	 523L-0040A28 内径48拨叉86工高56 总高69	48	86	56	69
68CT4852F2A油嘴	 68CT4852F2A油嘴 内径48拨叉86工高55 总高69	48	86	55	69
NT4873F2	 NT4873F2 内径48拨叉86工高61 总高75	48	86	61	75
653L- 0040A7	 653L-0040A7 内径48拨叉86工高73 总高90	48	86	73	90
646L- 0040A28	 646L-0040A28 内径48拨叉86工高31 总高44	48	86	31	44
523L- 0040A25	 523L-0040A25 内径48拨叉86工高67 总高78	48	86	67	78






编号	图片	内径	拨叉	工作高	总高
646L- 0040A25	 646L-0040A25 内径48拨叉86工作高42 总高55	48	86	42	55
JS85T-16001031-5	 JS85T-16001031-5 内径48拨叉86工作高65 总高80	48	86	65	80
CT4855F3	 CT4855F3 内径48拨叉86工作高55 总高71	48	86	55	71
81CT4859F2	 81CT4859F2 内径48拨叉86工作高60 总高76	48	86	60	76
360111/4842	 360111/4842 内径48拨叉75工作高34 总高52	48	75	34	52
62RCT4871FO	 62RCT4871FO 内径48拨叉86工作高70 总高83	48	86	70	83
CT4867FO -A	 CT4867FO -A 内径48拨叉86工作高67 总高78	48	86	67	78
70CT4832FO	 70CT4832FO 内径48拨叉60工作高33 总高53	48	60	33	53
986813/78窄拨叉	 986813/78窄拨叉 内径48拨叉86工作高70 总高78	48	65	70	78
986813/64窄拨叉	 986813/64窄拨叉 内径48拨叉86工作高57 总高67	48	65	57	67
986813/56窄拨叉	 986813/56窄拨叉 内径48拨叉86工作高50 总高59	48	65	50	59
81NZ4821	 81NZ4821 ZXY 裕恒机械 裕恒公司 内径48拨叉86工作高61 总高76	48	86	61	76

编号	图片	内径	拨叉	工作高	总高
360111		48	86	48	61
360111/4860		48	86	60	73
986813/151		48	86	56	73
CT4852F2		48	86	55	70
NT4853F2		48	86	54	70
360111/4851		48	86	51	65
986813/4844		48	86	46	59
81CT4846F2		48	85	47	62
646L-0040A21		48	86	54	69
16V F2-02051/36 0111		48	85	40	55
JS85T-16001031-5		48	86	65	80
78CT4845F2		48	75	45	63













编号	图片	内径	拨叉	工作高	总高
6JHC-02050/36 0111	 16JHC-02050/36 0111 内径48总高61拨叉 86工高46	48	86	46	61
646L-0040A27	 恒发公司 ZXY襄阳轴承 恒发总代理 内径48总高69 86工高49	48	86	69	83
996713K/69 48	 恒发公司 ZXY襄阳轴承 恒发总代理 总高69内径48拨叉 75工高50	48	75	50	69
CT4859F2	 恒发公司 ZXY襄阳轴承 恒发总代理 总高76内径48拨叉 86工高60	48	86	60	76
505 202 111	 恒发公司 ZXY襄阳轴承 恒发总代理 总高69内径48 86工高48	48	75	48	66
CT4859F0	 恒发公司 ZXY襄阳轴承 恒发总代理 内径48总高61 86工高77	48	86	61	77
78CT4845F2	 恒发公司 ZXY襄阳轴承 恒发总代理 内径48总高45 86工高63	48	75	45	63
986813/64	 恒发公司 ZXY襄阳轴承 恒发总代理 内径48总高64 86工高67	48	65	58	67
62RCT4937F0	 恒发公司 ZXY襄阳轴承 恒发总代理 内径49总高37 86工高56	49	75	37	56
CT5144F3	 恒发公司 ZXY襄阳轴承 恒发总代理 内径51总高44 86工高60	51	70	44	60
北方奔驰54x81	 恒发公司 ZXY襄阳轴承 恒发总代理 内径54总高70 86工高80	54	92	70	80
81NZ5521	 恒发公司 ZXY襄阳轴承 恒发总代理 内径55总高61 86工高77	55	86	61	77













编号	图片	内径	拨叉	工作高	总高
NT5549F2		55	86	49	64
65TNK20		56	75	44	60
85CT5760F3 -K		56	85	60	76
54*81- 奔驰		56	93	64	73
78CT5737F2C		57	75	37	67
3151000395		57	75	37	57
85CT5740FOA		57	86	40	55
CT5740FO		57	75	40	60
CT5740F3A		57	75	40	51
FQZC2378 57*69F0		57	75	69	89
WG2203260345		57	75	44	63
85CT5 759F2		57	85	59	74


编号	图片	内径	拨叉	工作高	总高
85CT5740F3 -K	 <p>85CT5740F3 - K 内径57拨叉86工高41 总高56</p>	57	86	41	56
CT5747F3/C	 <p>CT5747F3/C 内径57拨叉75工高47 总高68</p>	57	75	47	68
FQZC2385-57*46F0	 <p>FQZC2385 - 57*46F0 内径57拨叉85工高46 总高61</p>	57	85	46	61
CT5747F3B	 <p>CT5747F3B 内径57拨叉86工高47 总高63</p>	57	86	47	63
996713K11	 <p>996713K11 内径57拨叉86工高56 总高70</p>	57	86	56	70
3151152102	 <p>3151152102 内径57拨叉75工高36 总高55</p>	57	75	36	55
TK70B - 3	 <p>TK70B - 3 内径57拨叉75工高50 总高69</p>	57	75	50	69
CT5760F3	 <p>CT5760F3 内径57拨叉75工高60 总高70</p>	57	75	60	70
CT5737F3	 <p>CT5737F3 175 - 1601030 - 2 内径57拨叉75工高38 总高57</p>	57	75	38	57
78CT5775F2	 <p>78CT5775F2 ZXY 烟台轴承 烟台总代理 内径57拨叉75工高75 总高93</p>	57	75	75	93
NZ5721	 <p>NZ5721 ZXY 烟台轴承 烟台总代理 内径57拨叉75工高44 总高63</p>	57	75	44	63
78CT5737F3	 <p>78CT5737F3 ZXY 烟台轴承 烟台总代理 内径57拨叉75工高37 总高56</p>	57	75	37	56

编号	图片	内径	拨叉	工作高	总高
85CT5740F3		57	86	41	58
NT5742F2		57	75	42	62
CT5747F3		57	75	47	57
CT5756F0		57	75	58	77
86NT5760F2		57	86	60	80
996714-TX		57	75	42	61
996914		57	86	90	105
996713K83		57	75	62	83
996713K/69		57	75	50	69
996713k/66		57	75	47	66
996713/61		57	75	42	61
996713		57	75	37	57

编号	图片	内径	拨叉	工作高	总高
70NL5781F0		57	78	93	105
85CT5765F2		57	86	66	80
CT5755F3		57	75	55	65
70NL5791F0		57	78	100	115
85CT5787F2		57	86	88	105
78CT5759F2		57	75	59	78
996713K/71		57	75	51	71
996713K/64		57	75	46	64
996713K/98大盘		57	75	79	98
996713K/83大盘		57	75	63	83
996713K/69大盘		57	75	49	69
996713K/69		57	75	47	66

编号	图片	内径	拨叉	工作高	总高
J75-1601030-3		57	75	47	66
CT5752F3		57	75	51	63
CT5737F3		57	75	37	57
NT5742F2		57	75	40	58
FQZC23100 x 57x 47F0		57	75	47	66
996714KA-TX		57	75	41	52
CT5747F0		57	75	48	59
16N - 02050 - TX		57	75	38	56
996713KA2 - TX		57	75	47	60
78CT5753F2		57	75	54	73
86TKB5780		57	86	61	80
CT5740F3		57	75	40	59

编号	图片	内径	拨叉	工作高	总高
CT5747F3		57	75	47	57
CT5737F0		57	75	37	56
70CL5782F0B		57	78		110
CT5752F3		57	75	51	63
996713K1		57	75	38	57
TK70 - 2		58	78	61	68
S3123-2A11		60	137		127
3151000157		60	127		102
86NL6084F2		60	78		111
CT6065F0		60	75	65	85
70NL6081F0		60	77	90	106
70CL6082F0		60	77	93	105

编号	图片	内径	拨叉	工作高	总高
86CL6081F2		60	138	96	102
86CL6090FOC		60	77	100	113
60110		60	124	110	120
86CL60100FO 6082加高		60	124	107	120
86CL6089FOC		60	78	90	111
3151 000 156		60	109		108
86CL6082FO -A		60	128	85	105
86CL6082FOB		60	128	82	103
86NL6089FO大边		60	77	89	111
TK70 - 1		61	78	53	68
C124C261		63	85	93	116
FTB-083151001039 PHC		63	94	93	112

编号	图片	内径	拨叉	工作高	总高
FTB-08		63	94		112
1601430-DL008*A		63	86		115
1601430 - DY618		63	86		113
6389三角加强 C124C203		63	86		117
3151 001 039		63	93	100	112
86CL6395FOC		63	86	95	121
86CL6395FOR 3151000493		63	86	97	117
86NL6395FO		63	85	95	116
86CL6395Fo - A		63	86	95	119
3151000144		64	86		117
DY799 - 124C003		64	85		106
1601080-TR840		66	134	90	112

编号	图片	内径	拨叉	工作高	总高
86CL66122F0		66	134	124	144
1601080-T38V0		66	134	124	144
60RCT3543F0 1603543-00-00					
800792.H195					

JINAN YU HENG